

	Li viena 17	Li viene 17	Liviana 17
	Li xiang L7	Li xiang L7	Li xiang L7
	Air	Pro	Max
	Basic Vehicle Paramet	ters	
Time to market :	2023-02	2022-09	2022-09
Body form :	5-door 5-seat SUV	5-door 5-seat SUV	5-door 5-seat SUV
Length x width x height (mm) :	5050x1995x1750	5050x1995x1750	5050x1995x1750
Wheelbase (mm) :	3005	3005	3005
Power type:	Extender	Extender	Extender
The maximum power of the vehicle (kW):	330	330	330
The maximum torque of the vehicle (N m):	620	620	620
Official maximum speed (km/h) :	180	180	180
Official 0-100 acceleration(s) :	5,3	5,3	5,3
engine :	1.5T 154 horsepower L4	1.5T 154 horsepower L4	1.5T 154 horsepower L4
gearbox :	1st gear electric car single speed	1st gear electric car single speed	1st gear electric car single speed
Fast charging time (hours):	0,5	0,5	0,5
Slow charging time (hours):	6,5	6,5	6,5
NEDC pure electric cruising range (km):	170	170	170
	Body		
	5050	5050	5050
Length(mm):			
Width (mm):	1995	1995	1995
Height (mm):	1750	1750	1750
Wheelbase (mm) :	3005	3005	3005
Number of doors (pieces) :	5	5	5
Number of seats (pieces) :	5	5	5
Fuel tank capacity (L) :	65	65	65
uggage compartment volume (L):	495	495	495
Curb weight (kg) :	2450	2450	2460
Approach angle (°) :	19	19	19
Departure Angle(°) :	21	21	21
	Engine		
Engine model :	L2E15M	L2E15M	L2E15M
Displacement (L) :	1,5	1,5	1,5
Cylinder volume (cc) :	1496	1496	1496
ntake form:	turbocharged	turbocharged	turbocharged
Number of cylinders (pieces) :	4	4	4
Cylinder arrangement :	series	series	series
Number of valves per cylinder (pieces) :	4	4	4
Valve structure :	double overhead	double overhead	double overhead
Maximum horsepower (ps) :	154	154	154
Maximum power (kW/rpm) :	113	113	113
fuel:	No. 95 gasoline	No. 95 gasoline	No. 95 gasoline
Fuel supply method :	direct injection	direct injection	direct injection
Cylinder head material :	aluminum alloy	aluminum alloy	aluminum alloy
Cylinder material :	aluminum alloy	aluminum alloy	aluminum alloy
Emission standard :	Country VI	Country VI	Country VI
Linission standard .	Electric motor	Source, vi	Louintry VI

NEDC pure electric cruising range (km):	170	170	170
Motor type:	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous
Total motor power (kW):	330	330	330
Motor total torque (N m):	620	620	620
Number of motors:	2	2	2
Motor layout:	front + rear	front + rear	front + rear
Maximum power of the front motor (kW):	130	130	130
Maximum torque of the front motor (N m):	220	220	220
The maximum power of the rear motor (kW):	200	200	200
Maximum torque of the rear motor (N m):	400	400	400
·			
Battery type:	Ternary lithium battery	Ternary lithium battery	Ternary lithium battery
Battery capacity (kWh):	40,9	40,9	40,9
Battery Pack Warranty:	8 years/160,000 km	8 years/160,000 km	8 years/160,000 km
charging method:	Fast charge + slow charge	Fast charge + slow charge	Fast charge + slow charge
Fast charging time (hours):	0,5	0,5	0,5
Slow charging time (hours):	6,5	6,5	6,5
Quick charge capacity (%):	80	80	80
	Gearbox		
Number of gears :	1	1	1
Gearbox type :	single speed electric vehicle	single speed electric vehicle	single speed electric vehicle
	Chassis steering		
Drive mode :	Dual motor four-wheel drive	Dual motor four-wheel drive	Dual motor four-wheel drive
Transfer case (four-wheel drive) type :	Electric four-wheel drive	Electric four-wheel drive	Electric four-wheel drive
Body structure :	Unibody	Unibody	Unibody
Power Steering :	electric assist	electric assist	electric assist
·	Double wishbone	Double wishbone	Double wishbone
Front Suspension Type :	independent suspension	independent suspension	independent suspension
Rear Suspension Type :	Five-link independent suspension	Five-link independent suspension	Five-link independent suspension
	• soft and hard adjustment	• soft and hard adjustment	• soft and hard adjustment
Adjustable Suspension :		 height adjustment 	 height adjustment
Air Suspension :	-	•	•
	Wheel brake		
Front Brake Type :	Ventilated Disc	Ventilated Disc	Ventilated Disc
Rear Brake Type :	Ventilated Disc	Ventilated Disc	Ventilated Disc
Parking Brake Type :	electronic handbrake	electronic handbrake	electronic handbrake
Front tire specifications :	255/50 R20	255/50 R20	255/50 R20
Rear Tire Specifications :	255/50 R20	255/50 R20	255/50 R20
Hub material :	aluminum alloy	aluminum alloy	aluminum alloy
Spare tire specifications :	none	none	none
Spand and specimentalist.	Safety equipment		
Airhag for main/passanger sect :	Main ●/Vice ●	Main ●/Vice ●	Main ●/Vice ●
Airbag for main/passenger seat :			
Front/rear side airbags :	Front •/Back •	Front ●/Back ●	Front ●/Back ●
Front/rear head curtain air :	Front ●/Back ●	Front ●/Back ●	Front ●/Back ●
Tips for not fastening the seat belt:	•	•	•
ISO FIX child seat interface:	•	•	•
Tire pressure monitoring device :	Tire pressure display	Tire pressure display	Tire pressure display

Automatic anti-lock braking (ABS, etc.) :	•	•	•
Braking force distribution			
(EBD/CBC, etc.):	•	•	•
Brake assist			
(EBA/BAS/BA, etc.) :	•	•	•
Traction control			_
(ASR/TCS/TRC, etc.) :	•	•	•
Body Stability Control	_		_
(ESP/DSC/VSC, etc.):	·	•	•
Parallel assistance :	•	•	•
Lane Departure Warning System:	•	•	•
Lane Keeping Assist:	•	•	•
Road traffic sign recognition:	•	•	•
Active braking/active safety system :	•	•	•
Automatic parking :	•	•	•
Uphill assist :	•	•	•
Steep Descent :	•	•	•
Electronic engine anti-theft :	•	•	•
Central locking in the car :	•	•	•
Remote key :	•	•	•
Keyless start system :	•	•	•
Keyless entry system:	•	•	•
Fatigue Driving Tips:	•	•	•
	Body function/configura	ation	
	Segmented non-openable	Segmented non-openable	Segmented non-openable
Skylight type:	sunroof	sunroof	sunroof
Electric suction door :	• Full car	• Full car	• Full car
Electric trunk:	•	•	•
Induction trunk:	•	•	•
Active closed air intake grille:	•	•	•
Remote start function:	•	•	•
	In-Car Features/Configur	ation	
Stanzing wheel metarial			• ganuina laathar
Steering wheel material:	• genuine leather	• genuine leather	• genuine leather
Steering wheel position adjustment:	• up and down	• up and down	• up and down
	before and after	before and after	before and after
Electric steering wheel adjustment :	•	•	•
Multifunction steering wheel:	•	•	•
Steering wheel heating:	•	•	•
Steering wheel memory:	• · · · /D · I	• · · · · · · · · · · · · · · · · · · ·	• · · /p · l
Front/rear parking sensor :	Front ●/Back ●	Front •/Back •	Front ●/Back ●
Driving assistance video:	• 360-degree panoramic image	• 360-degree panoramic image	• 360-degree panoramic image
Reversing vehicle side warning system:	•	•	•
Cruise system:	• Full speed adaptive cruise	• Full speed adaptive cruise	Full speed adaptive cruise
•	Assisted driving level L2	Assisted driving level L2	Assisted driving level L2
	Standard/Comfort	• Standard/Comfort	Standard/Comfort
	• sports	• sports	• sports
Driving mode switching:	• sports • off-road	• sports • off-road	• sports • off-road

			ı
	• economy	• economy	• economy
Automatic parking in place :	•	•	•
	● 12V	● 12V	• 12V
Independent power interface in the car :	• 220/230V	• 220/230V	• 220/230V
Trip computer display :	•	•	•
Full LCD instrument panel:	•	•	•
HUD head up digital display :	•	•	•
Built-in driving recorder:	•	•	•
Mobile phone wireless charging function:	• front row	• front row	• front row
	Seat configuration		
Seat material :	• genuine leather	• genuine leather	• genuine leather
	• Front and rear adjustment	• Front and rear adjustment	• Front and rear adjustment
Driver's seat adjustment direction:	Backrest adjustment	Backrest adjustment	Backrest adjustment
,	 height adjustment 	 height adjustment 	 height adjustment
	• Lumbar support	• Lumbar support	• Lumbar support
	Front and rear adjustment	Front and rear adjustment	• Front and rear adjustment
	Backrest adjustment	Backrest adjustment	Backrest adjustment
	 height adjustment 	 height adjustment 	 height adjustment
Adjustment direction of passenger seat :	• Lumbar support	Lumbar support	• Lumbar support
Main/passenger seat electric adjustment :	Main ●/Vice ●	Main ●/Vice ●	Main ●/Vice ●
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Heating	Heating	Heating
Front Seat Functions:	• ventilation	• ventilation	• ventilation
	Massage	Massage	Massage
Electric Seat Memory :	Driver's seat	Driver's seat	Driver's seat
Adjustable buttons in the rear row of the co-pilot (boss button):	•	•	•
	Backrest adjustment	Backrest adjustment	Backrest adjustment
Second row seat adjustment direction:	• Lumbar support	 Lumbar support 	• Lumbar support
Electric adjustment of the second row of seats:	•	•	•
	Heating	Heating	Heating
Second row seat functions:	• ventilation	ventilation	ventilation
	 Massage 	 Massage 	 Massage
Third row seats :	none	none	none
How to fold the rear seats :	Can be scaled down	Can be scaled down	Can be scaled down
Front/rear center armrest :	Front ●/Back ●	Front ●/Back ●	Front ●/Back ●
Rear cup holder:	•	•	•
	Multimedia configurat	ion	
GPS navigation system :	•	•	•
Vehicle information service :	•	•	•
Navigation traffic information display:	•	•	•
Center console LCD screen :	Touch LCD screen	Touch LCD screen	Touch LCD screen
Center console LCD screen size:	• 15.7 inches	• 15.7 inches	• 15.7 inches
Bluetooth/Car Phone :	• 15.7 menes	• 15.7 menes	• 13.7 menes
Mobile phone interconnection/mapping:	OTA upgrade	OTA upgrade	OTA upgrade
modile phone interconnection/mapping.	Can control multimedia	Can control multimedia	Can control multimedia
	system • Controlled navigation	system • Controlled navigation	system • Controlled navigation
voice control:			-
	• can control the phone	• can control the phone	• can control the phone

	Controllable air conditioner	Controllable air conditioner	Controllable air conditioner
Gesture Control:	•	•	•
Internet of Vehicles:	•	•	•
Rear LCD screen :	-	_	•
Rear control multimedia:	_	_	•
External audio interface:	● Type-C	● Type-C	● Type-C
	• 2 in the front row/2 in the	• 2 in the front row/2 in the	• 2 in the front row/2 in the
USB/Type-C interface:	back row	back row	back row
Number of speakers (units) :	• 19 speakers	• 19 speakers	• 21 speakers
	Lighting configuration	n	
Low beam light source:	• LED	• LED	• LED
High beam light source:	• LED	• LED	• LED
Daytime running lights :	•	•	•
Adaptive far and near light:	•	•	•
Headlights turn on and off automatically :	•	•	•
Steering auxiliary lighting:	•	•	•
Headlight height adjustable :	•	•	•
Ambient lighting in the car :	• 256 colors	• 256 colors	• 256 colors
	Windows and mirror	rs	
Front/rear electric windows :	Front ●/Back ●	Front ●/Back ●	Front ●/Back ●
Window one-button lift function :	• Full car	• Full car	• Full car
	• Tuli cai	• Tuli cai	- Tuli cai
Window anti-pinch function : Multi-layer soundproof glass:	• Full car	• Full car	• Full car
With layer soundproof glass.	Electric adjustment	Electric adjustment	Electric adjustment
	Electric adjustment Electric folding	Electric adjustment Electric folding	Electric folding
		Mirror heating	-
	Mirror heating	-	Mirror heating Mirror mamory
Exterior mirror function:	Mirror memory	Mirror memory	Mirror memory
	 Automatic anti-glare Automatic downturn when 	Automatic anti-glare	Automatic anti-glare Automatic downturn when
	reversing	reversing	reversing
	Automatic folding when	Automatic folding when	Automatic folding when
	locking the car	locking the car	locking the car
Interior rearview mirror function:	Automatic anti-glare	Automatic anti-glare	Automatic anti-glare
Rear side privacy glass:	•	•	•
	Main driving position +	Main driving position +	Main driving position +
Interior vanity mirror:	lights ● Passenger seat + lights	lights	lights
F	• Passenger seat + lights	Passenger seat + lights	Passenger seat + lights
Front sensor wiper :	•	•	•
Rear wiper :		•	•
	Air conditioner/refriger	ator	
Air conditioner temperature control method :	automatic air conditioning	automatic air conditioning	automatic air conditioning
Temperature zone control :	•	•	•
Rear outlet :	•	•	•
Rear independent air conditioner:	•	•	•
Car air purifier:	•	•	•
PM2.5 filter or pollen filter:	•	•	•