



	Li xiang L8	Li xiang L8	Li xiang L8
	Air	Pro	Max
	Basic Vehicle Paramet	ers	
Time to market :	2023-02	2022-09	2022-09
Body form :	5-door 6-seat SUV	5-door 6-seat SUV	5-door 6-seat SUV
Length x width x height (mm) :	5080x1995x1800	5080x1995x1800	5080x1995x1800
Wheelbase (mm) :	3005	3005	3005
Power type:	extender	extender	extender
The maximum power of the vehicle (kW):	330	330	330
The maximum torque of the vehicle (N m):	620	620	620
Official maximum speed (km/h) :	180	180	180
Official 0-100 acceleration(s) :	5,5	5,5	5,5
engine :	1.5T 154 horsepower L4	1.5T 154 horsepower L4	1.5T 154 horsepower L4
gearbox :	1st gear electric car single speed	1st gear electric car single speed	1st gear electric car single speed
ast charging time (hours):	0,5	0,5	0,5
Slow charging time (hours):	6,5	6,5	6,5
NEDC pure electric cruising range (km):	168	168	168
	Body		
ength(mm) :	5080	5080	5080
Vidth (mm) :	1995	1995	1995
Height (mm) :	1800	1800	1800
Wheelbase (mm) :	3005	3005	3005
lumber of doors (pieces) :	5	5	5
Jumber of seats (pieces) :	6	6	6
uel tank capacity (L) :	65	65	65
Curb weight (kg) :	2470	2470	2480
Approach angle (°) :	19	19	19
Departure Angle(°) :	21	21	21
	Engine		
ingine model :	L2E15M	L2E15M	L2E15M
Displacement (L) :	1,5	1,5	1,5
Cylinder volume (cc) :	1496	1496	1496
ntake form:	turbocharged	turbocharged	turbocharged
Number of cylinders (pieces) :	4	4	4
Cylinder arrangement :	series	series	series
Number of valves per cylinder (pieces) :	4	4	4
/alve structure :	double overhead	double overhead	double overhead
Maximum horsepower (ps) :	154	154	154
Maximum power (kW/rpm) :	113	113	113
uel :	No. 95 gasoline	No. 95 gasoline	No. 95 gasoline
Fuel supply method :	direct injection	direct injection	direct injection
Cylinder head material :	aluminum alloy	aluminum alloy	aluminum alloy
Cylinder material :	aluminum alloy	aluminum alloy	aluminum alloy
Emission standard :	Country VI	Country VI	Country VI
	Electric motor	,	,
NEDC pure electric cruising range (km):	168	168	168

Motor type:	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous
Total motor power (kW):	330	330	330
Motor total torque (N m):	620	620	620
Number of motors:	2	2	2
	front + rear	front + rear	front + rear
Motor layout:			
Maximum power of the front motor (kW):	130	130	130
Maximum torque of the front motor (N m):	220	220	220
he maximum power of the rear motor (kW):	200	200	200
Maximum torque of the rear motor (N m):	400	400	400
Battery type:	Ternary lithium battery	Ternary lithium battery	Ternary lithium battery
Battery capacity (kWh):	40,9	40,9	40,9
ower consumption per 100 kilometers kWh/100km):	24,2	24,2	24,2
attery Pack Warranty:	8 years/160,000 km	8 years/160,000 km	8 years/160,000 km
harging method:	Fast charge + slow charge	Fast charge + slow charge	Fast charge + slow charge
ast charging time (hours):	0,5	0,5	0,5
low charging time (hours):	6,5	6,5	6,5
Quick charge capacity (%):	80	80	80
J , , , ,	Gearbox		
lumber of gears :	1	1	1
Gearbox type :	single speed electric vehicle	single speed electric vehicle	single speed electric vehicle
icarbox type .	Chassis steering		
		5 L	
Orive mode :	Dual motor four-wheel drive	Dual motor four-wheel drive	Dual motor four-wheel drive
ransfer case (four-wheel drive) type :	Electric four-wheel drive	Electric four-wheel drive	Electric four-wheel drive
sody structure :	Unibody	Unibody	Unibody
ower Steering :	electric assist	electric assist	electric assist
ront Suspension Type :	Double wishbone independent suspension	Double wishbone independent suspension	Double wishbone independent suspension
	Five-link independent	Five-link independent	Five-link independent
lear Suspension Type :	suspension	suspension	suspension
	• soft and hard adjustment	• soft and hard adjustment	• soft and hard adjustment
Adjustable Suspension :		 height adjustment 	height adjustment
Air Suspension :	-	•	•
	Wheel brake		
ront Brake Type :	Ventilated Disc	Ventilated Disc	Ventilated Disc
ear Brake Type :	Ventilated Disc	Ventilated Disc	Ventilated Disc
arking Brake Type :	electronic handbrake	electronic handbrake	electronic handbrake
ront tire specifications :	255/50 R20	255/50 R20	255/50 R20
Rear Tire Specifications :	255/50 R20	255/50 R20	255/50 R20
lub material :	aluminum alloy	aluminum alloy	aluminum alloy
	Safety equipment		·
irbag for main/passenger seat :	Main ●/Vice ●	Main ●/Vice ●	Main ●/Vice ●
ront/rear side airbags :	Front ●/Back ●	Front ●/Back ●	Front ●/Back ●
rong rear side an bags .	Front ●/Back ●	Front ●/Back ●	Front ●/Back ●
ront/roar hoad curtain air :		TIOHE €/ Dack €	FIGHT €/ Dack €
·	A Trong of Buck of	•	_
ips for not fastening the seat belt :	•	•	•
Front/rear head curtain air : Fips for not fastening the seat belt : SO FIX child seat interface: Fire pressure monitoring device :	Tire pressure display	Tire pressure display	Tire pressure display

Braking force distribution		•	
(EBD/CBC, etc.) :	•		,
Brake assist			
(EBA/BAS/BA, etc.) :	•	•	•
Traction control			
(ASR/TCS/TRC, etc.) :	•	•	•
Body Stability Control			
(ESP/DSC/VSC, etc.) :	•	•	•
Parallel assistance :	•	•	•
Lane Departure Warning System:	•	•	•
Lane Keeping Assist:	•	•	•
Road traffic sign recognition:	•	•	•
Active braking/active safety system :	•	•	•
Automatic parking :	•	•	•
Uphill assist :	•	•	•
Steep Descent :	•	•	•
Electronic engine anti-theft :	•	•	•
Central locking in the car :	•	•	•
Remote key :	•	•	•
Keyless start system :	•	•	•
Keyless entry system:	•	•	•
Fatigue Driving Tips:	•	•	•
	Body function/configura	ation	
Skylight type:	• Segmented non-openable	Segmented non-openable	Segmented non-openable
	sunroof	sunroof	sunroof
Electric suction door :	• Full car	• Full car	• Full car
Electric trunk:	•	•	<u> </u>
nduction trunk:	•	•	•
Active closed air intake grille:	•	•	•
Remote start function:	• / / / /	•	•
	In-Car Features/Configu		
Steering wheel material:	• genuine leather	genuine leather	genuine leather
Steering wheel position adjustment:	• up and down	• up and down	• up and down
	before and after	before and after	before and after
Electric steering wheel adjustment:	•	•	•
Multifunction steering wheel :	•	•	•
Steering wheel heating:	•	•	•
Steering wheel memory:	•	•	•
Front/rear parking sensor :	Front ●/Back ●	Front ●/Back ●	Front ●/Back ●
Driving assistance video:	 360-degree panoramic image 	• 360-degree panoramic image	• 360-degree panoramic image
Reversing vehicle side warning system:	•	•	•
Cruise system:	Full speed adaptive cruise	Full speed adaptive cruise	• Full speed adaptive cruise
·	Assisted driving level L2	Assisted driving level L2	Assisted driving level L2
	• Standard/Comfort	Standard/Comfort	Standard/Comfort
	• sports	• sports	• sports
Driving mode switching:	• off-road	• off-road	• off-road
	• snow	• snow	• snow
	• economy	• economy	• economy
	• economy	Contonly	Contonly

	• 12V	• 12V	● 12V
Independent power interface in the car :	• 220/230V	• 220/230V	• 220/230V
Trip computer display :	•	•	•
Full LCD instrument panel:	•	•	•
HUD head up digital display :	•	•	•
Built-in driving recorder:	•	•	•
Mobile phone wireless charging function:	• front row	• front row	• front row
	Seat configuration		
Seat material :	genuine leather	• genuine leather	• genuine leather
	• Front and rear adjustment	Front and rear adjustment	• Front and rear adjustment
Driver's seat adjustment direction:	 Backrest adjustment 	Backrest adjustment	 Backrest adjustment
	 height adjustment 	 height adjustment 	 height adjustment
	 Lumbar support 	• Lumbar support	• Lumbar support
	• Front and rear adjustment	• Front and rear adjustment	• Front and rear adjustment
	 Backrest adjustment 	Backrest adjustment	 Backrest adjustment
	 height adjustment 	 height adjustment 	 height adjustment
Adjustment direction of passenger seat :	 Lumbar support 	• Lumbar support	 Lumbar support
Main/passenger seat electric adjustment :	Main ●/Vice ●	Main ●/Vice ●	Main ●/Vice ●
	Heating	Heating	Heating
Front Seat Functions:	ventilation	ventilation	ventilation
	 Massage 	 Massage 	 Massage
	Driver's seat	• Driver's seat	• Driver's seat
Electric Seat Memory :	Copilot seat	● Copilot seat	 Copilot seat
Adjustable buttons in the rear row of the co-pilot	•	•	•
once nitroni	• Front and rear adjustment	• Front and rear adjustment	• Front and rear adjustment
Second row seat adjustment direction:	Backrest adjustment	Backrest adjustment	Backrest adjustment
	 Lumbar support 	 Lumbar support 	 Lumbar support
Electric adjustment of the second row of seats:	•	•	•
	Heating	Heating	Heating
Second row seat functions:	ventilation	ventilation	ventilation
	 Massage 	Massage	 Massage
Second row of individual seats:	•	•	•
Fhird row seats :	2 seats	2 seats	2 seats
How to fold the rear seats :	• Can be scaled down	Can be scaled down	Can be scaled down
Front/rear center armrest :	Front ●/Back ●	Front ●/Back ●	Front ●/Back ●
Rear cup holder:	•	•	•
	Multimedia configurat	ion	
GPS navigation system :	•	•	•
Vehicle information service :	•	•	•
Navigation traffic information display:	•	•	•
Center console LCD screen :	Touch LCD screen	Touch LCD screen	Touch LCD screen
Center console LCD screen size:	• 15.7 inches	• 15.7 inches	• 15.7 inches
Bluetooth/Car Phone :	•	•	•
Mobile phone interconnection/mapping:	OTA upgrade	OTA upgrade	OTA upgrade
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	• Can control multimedia system	Can control multimedia system	• Can control multimedia system
union countral.	 Controlled navigation 	Controlled navigation	Controlled navigation
voice control:			

	Controllable air conditioner	Controllable air conditioner	Controllable air conditioner
Gesture Control:	•	•	•
nternet of Vehicles:	•	•	•
Rear LCD screen :	-	-	•
Rear control multimedia:	-	-	•
External audio interface:	• Type-C	• Type-C	• Type-C
JSB/Type-C interface:	• 2 in the front row / 4 in the back row	• 2 in the front row / 4 in the back row	• 2 in the front row / 4 in the back row
Number of speakers (units) :	• 19 speakers	• 19 speakers	• 21 speakers
· · · · · ·	Lighting configuratio	n	
ow beam light source:	• LED	● LED	• LED
High beam light source:	• LED	● LED	● LED
Daytime running lights :	•	•	•
Adaptive far and near light:	•	•	•
Headlights turn on and off automatically :	•	•	•
Steering auxiliary lighting:	•	•	•
Headlight height adjustable :	•	•	•
Ambient lighting in the car :	• 256 colors	• 256 colors	• 256 colors
Ambient lighting in the car.	Windows and mirror		230 (01013
root/roor alastria windows	Front ●/Back ●	Front ●/Back ●	Front ●/Back ●
Front/rear electric windows :	• Full car	• Full car	• Full car
Window one-button lift function :		• Full Cal	• Full Cal
Window anti-pinch function :	• front rous	a frant raw	a frant row
Multi-layer soundproof glass:	• front row	• front row	• front row
	• back row	• back row	• back row
	Electric adjustment	Electric adjustment	Electric adjustment
	Electric folding	Electric folding	Electric folding
	Mirror heating	Mirror heating	Mirror heating
Exterior mirror function:	Mirror memory	Mirror memory	Mirror memory
	Automatic anti-glare	Automatic anti-glare	Automatic anti-glare
	Automatic downturn when reversing	reversing	reversing
	 Automatic folding when locking the car 	Automatic folding when locking the car	 Automatic folding when locking the car
nterior rearview mirror function:	Automatic anti-glare	Automatic anti-glare	Automatic anti-glare
Rear side privacy glass:	•	•	•
	Main driving position +	Main driving position +	Main driving position +
nterior vanity mirror:	lights	lights	lights
	Passenger seat + lights	Passenger seat + lights	Passenger seat + lights
Front sensor wiper :	-	• -	
Rear wiper :	• · · · · · · · · · · · · · · · · · · ·	•	•
	Air conditioner/refriger	ator	
Air conditioner temperature control method :	automatic air conditioning	automatic air conditioning	automatic air conditioning
Temperature zone control :	•	•	•
Rear outlet :	•	•	•
Rear independent air conditioner:	•	•	•
Car air purifier:	•	•	•
PM2.5 filter or pollen filter:	•	•	•