интоваус МОГАПОЛИС

megapolis.by Автомобили из Китая в наличии и под заказ

автокаус МӨГАПОЛИС отберный автомобили	<u>megapolis.by</u>	Автомобили из Китая в нали	чии и под заказ		
	Audi Q4 40 e-tron	Audi Q4 40 e-tron	Audi Q4 40 e-tron	Audi Q4 50 e-tron	Audi Q4 50 e-tron
	Genesis	Chuangjing Yaoye	Creative	Quattro Creative	Quattro Chuangxiang
		Basic Vehicle Paramet	ters		
Time to market :	2023-03	2023-03	2023-03	2023-03	2023-03
	5-door 5-seater SUV/off-road	5-door 5-seater SUV/off-road	5-door 5-seater SUV/off-road	5-door 5-seater SUV/off-road	5-door 5-seater SUV/off-road
Body form :	4588x1865x1626	4588x1865x1626	4588x1865x1626	4588x1865x1626	4588x1865x1626
Length x width x height (mm) :	2765	2765	2765	2765	2765
Wheelbase (mm) : Power type:	pure electric	pure electric	pure electric	pure electric	pure electric
The maximum power of the vehicle (kW):	150	150	150	230	230
The maximum torque of the vehicle (N m):	310	310	310	472	472
Official maximum speed (km/h) :	160	160	160	160	160
Official 0-100 acceleration(s) :	8,8	8,8	8,8	6,8	6,8
Fast charging time (hours):	0,68	0,68	0,68	0,68	0,68
Slow charging time (hours):	12	12	12	12	12
NEDC pure electric cruising range (km):	605	605	605	560	560
nese pare creatie craising range (kin).	000	Body	005	500	500
Length(mm) :	4588	4588	4588	4588	4588
Width (mm) :	1865	1865	1865	1865	1865
Height (mm) :	1626	1626	1626	1626	1626
Wheelbase (mm) :	2765	2765	2765	2765	2765
	5	5	5	5	5
Number of doors (pieces) :	5	5	5	5	5
Number of seats (pieces) :	520	520	520	520	520
Luggage compartment volume (L) : Curb weight (kg) :	2160	2160	2160	2255	2255
0 (0,	154	154	154	154	154
Minimum ground clearance (mm) :	154	154	154	154	154
Approach angle (°) :	21	21	21	21	21
Departure Angle(°) :	21	Electric motor	21	21	21
NEDC pure electric cruising range (km):	605	605	605	560	560
Motor type:	Permanent	Permanent	Permanent	Front permanent magnet/synchronous rear	Front permanent magnet/synchronous rear
	magnet/synchronous	magnet/synchronous	magnet/synchronous	AC/asynchronous	AC/asynchronous
Total motor power (kW):	150	150	150	230	230
Motor total torque (N m):	310	310	310	472	472
Number of motors:	1	1	1	2	2
Motor layout:	rear	rear	rear	front + rear	front + rear
Maximum power of the front motor (kW):	-	-	-	80	80
Maximum torque of the front motor (N m):	-	-	-	162	162
The maximum power of the rear motor (kW):	150	150	150	150	150
Maximum torque of the rear motor (N m):	310	310	310	310	310
Battery type:	Ternary lithium battery	Ternary lithium battery	Ternary lithium battery	Ternary lithium battery	Ternary lithium battery
Battery capacity (kWh):	84,8	84,8	84,8	84,8	84,8
Power consumption per 100 kilometers	14,4	14,4	14,4	15,5	15,5
Battery Pack Warranty:	8 years/160,000 km	8 years/160,000 km	8 years/160,000 km	8 years/160,000 km	8 years/160,000 km
charging method:	Fast charge + slow charge	Fast charge + slow charge			
Fast charging time (hours):	0,68	0,68	0,68	0,68	0,68
Slow charging time (hours):	12	12	12	12	12
Quick charge capacity (%):	80	80	80	80	80
Quere enange capacity (76).	00	Chassis steering	00	00	00
Drive mode :	rear drive	rear drive	rear drive	Dual motor four-wheel drive	Dual motor four-wheel drive
Transfer case (four-wheel drive) type :	-	-	-	Electric four-wheel drive	Electric four-wheel drive
Body structure :	Unibody	Unibody	Unibody	Unibody	Unibody
Power Steering :	electric assist	electric assist	electric assist	electric assist	electric assist
Variable steering ratio:	•	•	•	•	•
Front Suspension Type :	McPherson independent suspension	McPherson independent suspension	McPherson independent suspension	McPherson independent suspension	McPherson independent suspension
Rear Suspension Type :	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension
Adjustable Suspension :	-	-	-	OHard and soft adjustment	 soft and hard adjustment
		Wheel brake			
Front Brake Type :	Ventilated Disc	Ventilated Disc	Ventilated Disc	Ventilated Disc	Ventilated Disc
Rear Brake Type :	Drum	Drum	Drum	Drum	Drum
Parking Brake Type :	electronic handbrake	electronic handbrake	electronic handbrake	electronic handbrake	electronic handbrake
Front tire specifications :	235/55 R19	235/50 R20	235/50 R20	235/50 R20	235/45 R21
Rear Tire Specifications :	255/50 R19	255/45 R20	255/45 R20	255/45 R20	255/40 R21
Hub material :	aluminum alloy	aluminum alloy	aluminum alloy	aluminum alloy	aluminum alloy
		Safety equipment		s sino,	
				Main ●/Vice ●	Main ●/Vice ●
Airbag for main/passenger seat ·	Main ●/Vice ●	Main ●/Vice ●	Main •/Vice •		
Airbag for main/passenger seat : Front/rear side airbags :	Main ●/Vice ● front ●/back-	Main •/Vice • front •/back-	Main •/Vice • front •/back-		
Front/rear side airbags :	front •/back-	front •/back-	front •/back-	front •/back-	front •/back-
Front/rear side airbags : Front/rear head curtain air :					
Front/rear side airbags :	front ●/back- Front ●/Back ●	front ●/back- Front ●/Back ●			

Steering wheel position adjustment: efront and back efront and back Steering wheel shift : 0	
IdentifySundorSundorSundorSundorSundorSundorInduction trunk:000 <td< td=""><td>up and down front and back o front and back o co ront o factor facto</td></td<>	up and down front and back o front and back o co ront o factor facto
Identify the index interval is sufface in a sufface interval is sufface interval interval interval is sufface interval in	up and down front and back o front and back o co ront o factor facto
Identify Induction trunk:SumorSumo	up and down front and back
Identify Inder Identify Inder Identify	up and down front and back
Identify IndexSundarSundarSundarSundarSundarInductor trunk: Inductor trunk: Roof rack: Active closed air intake grille: Remote start function:00 <td>up and down front and back</td>	up and down front and back
IndexSundarSundarSundarInduction trunk:	up and down front and back
lettic trunk: induction trunk:inductionsundorsundorsundorsundorinduction trunk: induction trunk:00 </td <td>up and down front and back</td>	up and down front and back
Identify transitionSundaySundaySundayIdentify transition <td< td=""><td>up and down front and back front and back o o ront //Back - - degree panoramic image peed adaptive cruis sted driving level L2 candard/Comfort Exercise Economy</td></td<>	up and down front and back front and back o o ront //Back - - degree panoramic image peed adaptive cruis sted driving level L2 candard/Comfort Exercise Economy
Identify Identify Identified Identifie	up and down front and back front and back o o ront //Back - - degree panoramic image peed adaptive cruis sted driving level L2 candard/Comfort Exercise Economy
Identify Id	up and down front and back front and back o o ront //Back - - degree panoramic image peed adaptive cruis sted driving level L2 candard/Comfort Exercise Economy
Bethrief runk: Induction trunk: Roof rack: Roof rack: Roof rack: Renot estart function:0000Roof rack: Renot estart function:00 <td< td=""><td> up and down front and back o o roont •/Back • -degree panoramic image o preed adaptive cruis sted driving level L2 candard/Comfort Exercise Economy 12V 12V o e o </td></td<>	 up and down front and back o o roont •/Back • -degree panoramic image o preed adaptive cruis sted driving level L2 candard/Comfort Exercise Economy 12V 12V o e o
ControlSufform <t< td=""><td>up and down front and back</td></t<>	up and down front and back
Induction trunk: Induction trunk:SuntoorSuntoorSuntoorSuntoorIduction trunk: Induction trunk:00000Roof rack: Remote start function:000000Active closed air intake grille: Remote start function:000 </td <td>up and down front and back</td>	up and down front and back
SunroorSunroorSunroorSunroorSunroorSunroorSunroorSunroorSunroorInduction trunk:00	up and down front and back
SuntoorSuntoorSuntoorSuntoorSuntoorSuntoorSuntoorSuntoorSuntoorIedextic trunk: 0 <	up and down front and back o o ront o/Back o degree panoramic image peed adaptive cruis sted driving level L2 andard/Comfort Exercise
InductionSunroor <td>up and down front and back front and back o ront o degree panoramic image peed adaptive cruis sted driving level L2 candard/Comfort</td>	up and down front and back front and back o ront o degree panoramic image peed adaptive cruis sted driving level L2 candard/Comfort
Induction runk: Induction trunk: Induction trunk: Induction trunk: Roof rack:Image: Surroof	up and down front and back
SunrorSunr	up and down front and back o ront o/Back o degree panoramic image peed adaptive cruis
Induction trunk: Induction trunk: Roof rack:Image: source of trunk is burber of trunk is burb	up and down front and back o ront o/Back o degree panoramic image peed adaptive cruis
Induction trunk: Induction trunk: Induction trunk: Roof rack:Image: Sunroof sunr	 up and down front and back
Induction trunk: lectric trunk: Induction trunk: Roof rack: Active closed air intake grille: Remote start function:Image: Constraint of the start of the s	 up and down front and back
Electric trunk:SunroorSunroorSunroorSunroorSunroorElectric trunk: $- \cdot \cdot \cdot$ $- \cdot \cdot \cdot \cdot \cdot \cdot$ $- \cdot \cdot \cdot \cdot \cdot \cdot$ $- \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot$ $- \cdot \cdot$ $- \cdot \cdot$ $- \cdot \cdot$	up and down front and back ● ● ○ o ront ●/Back ● -degree panoramic image
Electric trunk:SunroorSunroorSunroorSunroorSunroorElectric trunk: $ \bigcirc \bigcirc $	•up and down front and back • • • • • • • • • • • • •
SurrorSurr	•up and down front and back • • • • • • • • • • • • •
Electric trunk:Induction trunk:Induc	 up and down front and back <!--</td-->
Electric trunk:Induction trunk:Induc	 up and down front and back <!--</td-->
Electric trunk:Induction trunk:Induc	 up and down front and back
Induction trunk: Induction trunk:<	up and down front and back
Induction trunk: O	up and down front and back
Sunroor Sunroor <t< td=""><td>up and down</td></t<>	up and down
Induction trunk: O O O Roof rack: O O O Active closed air intake grille: O O O Remote start function: O O O Sterring wheel material: O O O	
Induction trunk: Image: Surroor	•
Electric trunk:OOOOInduction trunk:OOOOORoof rack:OOOOOOActive closed air intake grille:OOOOOORemote start function:OOOOOOO	•
Induction trunk: One One <thone< th=""></thone<>	
Electric trunk: O O O Nduction trunk: O O O	•
Electric trunk: • • •	•
SUNFOOT SUNFOOT SUNFOOT SUNFOOT	•
suproof suproof suproof suproof	•
Skulicht turge: Openable panoramic Openable panoramic Openable panoramic Openable panoramic	sunroof
Body function/configuration •Openable panoramic •Openable panoramic •Openable panoramic •Openable panoramic	enable panoramic
Keyless entry system: O Park function (configuration	•
Keyless start system : • • • •	•
Remote key : • • • • • • • • • • • • • • • • • •	•
Central locking in the car :	•
Uphill assist : • • • •	•
Automatic parking : • • • •	•
Active braking/active safety system :	•
Road traffic sign recognition: o • •	•
Lane Keeping Assist: 0 0 0 0	•
Lane Departure Warning System:	•
Parallel assistance : O • • •	•
(ESP/DSC/VSC, etc.) :	•
Body Stability Control	•
(ASR/TCS/TRC, etc.) :	
Traction control	•
(EBA/BAS/BA, etc.) :	
Brake assist	•
(EBD/CBC, etc.) :	
Braking force distribution	•
Automatic anti-lock braking (ABS, etc.) :	•

		Multimedia configurat	ion		
GPS navigation system :	•	•	•	•	•
Vehicle information service :	•	•	•	•	•
Navigation traffic information display:	•	•	•	•	•
Center console LCD screen :	 Touch LCD screen 	 Touch LCD screen 	 Touch LCD screen 	 Touch LCD screen 	 Touch LCD screen
Center console LCD screen size:	•11.6 inches	 11.6 inches 	•11.6 inches	11.6 inches	 11.6 inches
Bluetooth/Car Phone :	•	•	•	•	•
Mobile phone interconnection/mapping:	 Support Apple CarPlay 	 Support Apple CarPlay 	 Support Apple CarPlay 	 Support Apple CarPlay 	 Support Apple CarPlay
voice control:	 Can control multimedia system 	 Can control multimedia system 	 Can control multimedia system 	 Can control multimedia system 	 Can control multimedia system
	 Controlled navigation 	 Controlled navigation 	 Controlled navigation 	 Controlled navigation 	 Controlled navigation
	 Can control the phone 	 Can control the phone 	 Can control the phone 	 Can control the phone 	 Can control the phone
	Controllable air conditioner	Controllable air conditioner	Controllable air conditioner	Controllable air conditioner	Controllable air conditione
Internet of Vehicles:	•	•	•	•	•
External audio interface:	 Type-C 	 Type-C 	 Type-C 	 Type-C 	 Type-C
USB/Type-C interface:	•2 in the front row/2 in the back row	•2 in the front row/2 in the back row	•2 in the front row/2 in the back row	•2 in the front row/2 in the back row	•2 in the front row/2 in the back row
Audio brand :	oSONOS	osonos	osonos	osonos	●SONOS
	o>12 speakers	O>12 speakers	O>12 speakers	0>12 speakers	
Number of speakers (units) :	 8-9 speakers 	 8-9 speakers 	 8-9 speakers 	 8-9 speakers 	 >12 speakers
	Provide Provid	Lighting configuratio			
Low beam light source:	●LED	●LED	●LED	●LED	●LED
High beam light source:	•LED	•LED	•LED	•LED	•LED
0 0	oMatrix	oMatrix	oMatrix	oMatrix	Matrix
Lighting features:	owatrix	oiviatrix	oiviatrix	olviatrix	• Matrix
Daytime running lights :					
Adaptive far and near light:	0	0	0	0	•
Headlights turn on and off automatically :	•	•	•	•	•
Headlight height adjustable :	•	•	•	•	•
Headlight washer unit :	0	0	0	-	•
Ambient lighting in the car :	 Multicolor 	 Multicolor 	 Multicolor 	 Multicolor 	 Multicolor
		Windows and mirror	'S		
Front/rear electric windows :	Front •/Back •	Front •/Back •	Front •/Back •	Front •/Back •	Front •/Back •
Window one-button lift function :	 Full vehicle 	 Full vehicle 	 Full vehicle 	 Full vehicle 	 Full vehicle
Window anti-pinch function :	•	•	•	•	•
	 Electric adjustment 	 Electric adjustment 	 Electric adjustment 	 Electric adjustment 	 Electric adjustment
	 Electric folding 	 Electric folding 	 Electric folding 	 Electric folding 	 Electric folding
	 Rearview mirror heating 	 Rearview mirror heating 	 Rearview mirror heating 	 Rearview mirror heating 	 Rearview mirror heating
Exterior mirror function:	oRearview mirror memory	 Rearview mirror memory 			
	OAutomatic anti-glare	 Automatic anti-glare 			
	OAutomatic downturn when reversing	 Automatic downturn when reversing 			
	OAutomatic folding when	 Automatic folding when 	 Automatic folding when 	Automatic folding when	Automatic folding when
	locking the car	locking the car	locking the car	locking the car	locking the car
Interior rearview mirror function:	Manual anti-glare OAutomatic anti-glare	•Automatic anti-glare	•Automatic anti-glare	•Automatic anti-glare	 Automatic anti-glare
Rear side privacy glass:	0	•	0	0	0
Interior vanity mirror:	Main driving position + lights	 Main driving position + lights 			
	 Copilot seat + lights 	 Copilot seat + lights 	 Copilot seat + lights 	 Copilot seat + lights 	 Copilot seat + lights
Front sensor wiper :	•	•	•	•	•
Rear wiper :	•	•	•	•	•
		Air conditioner/refriger	ator		
Air conditioner temperature control method :	 Automatic air conditioner 	 Automatic air conditioner 	 Automatic air conditioner 	 Automatic air conditioner 	 Automatic air conditioner
Temperature zone control :	•	•	•	•	•
Rear outlet :	•	•	•	•	•
Rear independent air conditioner:	•	•	•	•	•
Car air purifier:	•	•	•	•	•
PM2.5 filter or pollen filter:	•	•	•	•	•